

Application Programming Interface (API) Reference Manual

The logo for Red Rapids, featuring the text "Red Rapids" in white, bold, sans-serif font, centered within a black rounded rectangle with a red border.

Red Rapids

797 North Grove Rd, Suite 101
Richardson, TX 75081
Phone: 972-671-9570
www.redrapids.com

Red Rapids reserves the right to alter product specifications or discontinue any product without notice. All products are sold subject to the terms and conditions of sale supplied at the time of order. This product is not designed, authorized, or warranted for use in a life-support system or other critical application.

All product names, logos, and brands are property of their respective owners. All company, product and service names used in this document are for identification purposes only. Use of these names, logos, and brands does not imply endorsement.

Copyright © 2019 Red Rapids, Inc. No rights reserved.

Table of Contents

1.0	Introduction	4
1.1	Conventions.....	4
1.2	Revision History.....	5
2.0	Global Functions (global_functions.h).....	6
2.1	ChannelCount()	6
2.2	ClockFrequency().....	6
2.3	ClockInit()	6
2.4	ClockInitLMK01000()	7
2.5	ClockStatus()	7
2.6	ErrorMask().....	7
2.7	ErrorStatus()	8
2.8	FirmwareRevision().....	9
2.9	GlobalStatus().....	10
2.10	GlobalSync().....	10
2.11	GPIOConnect()	10
2.12	GPIODisconnect().....	11
2.13	GPIOReadWrite().....	11
2.14	GPIOSettings()	11
2.15	InterruptMask()	11
2.16	LEDSettings()	12
2.17	ModelNumber().....	13
2.18	PinDirection().....	13
2.19	PowerStatus()	13
2.20	SerDesInit().....	14
2.21	Serial()	14
2.22	SoftwareReset()	15
2.23	SoftwareTrigger()	15
2.24	TemperatureStatus().....	15
2.25	TODSeconds().....	16
2.26	TODSettings().....	16
2.27	TriggerSettings()	17
2.28	USERConnect()	18
2.29	USERDisconnect().....	18
3.0	Channel Functions (channel_functions.h).....	19
3.1	ChannelMask()	19
3.2	ChannelReset().....	20
3.3	ChannelSettings()	20
3.4	ChannelStatus().....	20
3.5	ChannelStatusClear()	21
3.6	FlowControl()	21
3.7	FlowStatus().....	22
3.8	FrameFilename()	22
3.9	DatapathControlSettings().....	22
3.10	EventDurationSettings().....	22
3.11	IFpktFormatSettings()	23
3.12	PayloadFormatSettings()	23
3.13	SchedulerFrameSettings()	23

3.14	SwitchSelectSettings()	24
3.15	SynchronizerSettings()	24
3.16	TODTriggerSettings()	24
3.17	ReadyStatus()	25
4.0	DMA Functions (dma_functions.h)	26
4.1	DMAAssign()	26
4.2	DMAConfigCheck()	26
4.3	DMAInit()	27
4.4	DMALoad()	27
4.5	DMARelease()	28
4.6	DMASave()	29
4.7	DMAStatus()	31
5.0	Product Functions (product_functions.h)	32
5.1	HWIntialize()	32
5.2	MxxxIntialize()	32
6.0	Chip Functions (chip_functions.h)	33
6.1	ADA4927Write()	33
6.2	AD5628Write()	33
6.3	AD8000Write()	33
6.4	AD9142ARead()	34
6.5	AD9142AWrite()	34
6.6	AD9512Read()	34
6.7	AD9512Write()	34
6.8	AD9652Cal()	35
6.9	AD9652Read()	35
6.10	AD9652Write()	35
6.11	AD9653Read()	36
6.12	AD9653Write()	36
6.13	ADC12D1600Cal()	36
6.14	ADC12D1600Read()	36
6.15	ADC12D1600Write()	37
6.16	ADL5566Write()	37
6.17	ADS42LB69Read()	37
6.18	ADS42LB69Write()	37
6.19	FXL6408Read()	38
6.20	FXL6408Write()	38
6.21	INA3221Read()	38
6.22	INA3221Write()	39
6.23	LMK01000Sync()	39
6.24	LMK01000Write()	39
6.25	LTC1661Write()	40
6.26	LTC2991Read()	40
6.27	LTC2991Write()	40
7.0	Utility Functions (utility_functions.h)	41
7.1	ChannelState()	41
7.2	ClearLatency()	41
7.3	DataFile()	41
7.4	DataLoad()	42
7.5	DataSave()	42
7.6	FIFOResidue()	43
7.7	FreeResources()	44

7.8	InterruptResponse()	44
7.9	InterruptTimeout()	44
7.10	MemSize()	45
7.11	MemTest()	45
7.12	MicrosecondTimer()	45
7.13	PciBenchmark()	46
7.14	PciPerformance()	46
7.15	ProbeSave()	46
7.16	ProcessChannels()	47
7.17	UserInit()	47
8.0	Filter Functions (filter_functions.h)	48
8.1	FilterCoefficients()	48
8.2	FilterConfigure()	48
8.3	FilterCount()	49
8.4	FilterFilename()	49
8.5	FilterGain()	49
8.6	FilterKeyword()	50
8.7	FilterParser()	50
8.8	FilterResampler()	50
8.9	FilterType()	51

1.0 Introduction

Red Rapids offers a common application programming interface (API) that is shared across multiple products. The API consists of C functions that are used to load hardware configuration variables, query status, and manage data transfers over the host bus. These functions essentially form a bridge between the application code and the register settings that orchestrate data flow through the hardware.

Many of the API functions are accompanied by data structures that help group variables by hardware function.

The API is divided into five separate libraries:

- Global functions to manage channel independent features of the hardware.
- Channel functions to configure and monitor individual datapaths.
- DMA functions to manage the movement of data to/from the host.
- Product functions to initialize each type of device.
- Chip functions to communicate with various semiconductor peripherals.
- Utility functions that provide performance monitoring and debug capabilities.

1.1 Conventions

This manual uses the following conventions:

- Hexadecimal numbers are prefixed by “0x” (e.g. 0x00058C).
- *Italic* font is used for names of registers.
- **Blue** font is used for names of directories, files, and OS commands.
- **Green** font is used to designate source code.



Text in this format highlights useful or important information.



Text shown in this format is a warning. It describes a situation that could potentially damage your equipment. Please read each warning carefully.

The following are some of the acronyms and abbreviations used in this manual.

- **ADC** Analog to Digital Converter
- **API** Application Program Interface
- **BAR** Base Address Register
- **DAC** Digital to Analog Converter
- **DMA** Direct Memory Access
- **FIFO** First-in / First-out
- **GPIO** General Purpose IO
- **I2C** Inter-Integrated Circuit
- **ISR** Interrupt Service Routine
- **LED** Light Emitting Diode
- **PCI** Peripheral Component Interconnect
- **QDR** Quad Data Rate

- **RX** Receiver
- **Rxx** Any Revision Number
- **SPI** Serial Peripheral Interface
- **SRAM** Static Random Access Memory
- **TOD** Time of Day
- **TX** Transmitter
- **USER** User defined IO
- **VITA** VME International Trade Association

1.2 Revision History

Version	Date	Description
R04	03/11/2019	Correction to DMASave() and DataSave() descriptions.
R03	03/07/2019	Major update to the entire API software release.
R02	12/01/2017	Add new devices and filter section.
R01	03/13/2015	Correction to LoadTODSettings().
R00	11/14/2014	Initial release.

2.0 Global Functions (global_functions.h)

The global functions are used to perform device operations that are independent of any specific data channel. A typical Red Rapids product may consist of several ADC or DAC channels that can be uniquely configured. However, there are also supporting functions such as clock generation or environmental status reporting that are not associated with any specific channel.

2.1 ChannelCount()

Report the number of receiver or transmitter channels supported by the device. Each ADC is considered a receiver channel and each DAC is considered a transmitter channel. This function allows a single code base to adapt to the unique configuration of any product variant.

Name	Type	Description
ChannelCount()	unsigned	Number of channels available matching the type requested by the RxTxSelect flag.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.
RxTxSelect	unsigned	Flag to indicate whether to return the number of receiver channels (0) or transmitter channels (1).

2.2 ClockFrequency()

Report the measured frequency of the transmitter clock to calculate DAC register settings.

Name	Type	Description
ClockFrequency()	unsigned	Measured clock frequency in Hertz.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.

2.3 ClockInit()

Command the device to synchronize all on-board clocks for products that include the Analog Devices AD9512 clock distribution chip. The specific initialization sequence is unique to each product, but the process generally involves resetting any phase locked loops and performing dynamic phase alignment on high speed chip-to-chip interfaces. This function should be called following the hardware initialization sequence or anytime a clock setting is changed.

Name	Type	Description
ClockInit()	int	Zero indicates successful completion. Non-zero indicates an error condition.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.

2.4 ClockInitLMK01000()

Command the device to synchronize all on-board clocks for products that include the Texas Instruments LMK01000 clock distribution chip. The specific initialization sequence is unique to each product, but the process generally involves resetting any phase locked loops and performing dynamic phase alignment on high speed chip-to-chip interfaces. This function should be called following the hardware initialization sequence or anytime a clock setting is changed.

Name	Type	Description
ClockInitLMK01000()	int	Zero indicates successful completion. Non-zero indicates an error condition.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.
CLKout0	unsigned	Output control register setting for CLKout0 pin.
CLKout4	unsigned	Output control register setting for CLKout4 pin.
CLKout5	unsigned	Output control register setting for CLKout5 pin.

2.5 ClockStatus()

Report the status of all clocks operating on the device. This function can be called anytime the clock status is needed by the software application. It is particularly useful to verify that an externally supplied sample clock or reference clock has been detected by the device.

Name	Type	Description
ClockStatus()	int	Numeric status code indicating clock state: 0 External sample clock active, digital clocks are locked. 1 External sample clock active, digital clocks are not locked. 2 Sample clock locked to internal reference, digital clocks are locked. 3 Sample clock locked to internal reference, digital clocks are not locked. 4 Sample clock locked to external reference, digital clocks are locked. 5 Sample clock locked to external reference, digital clocks are not locked. >5 Sample clock is not locked.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.

2.6 ErrorMask()

Set the error interrupt mask bits to enable (1) or disable (0) interrupt generation for each type of error monitored by the device. The device will continue to record faults even if the interrupt is masked, but the software application will have to query for status since there will be no independent notification.

The BAR mask bits are assigned to the following four types of errors:

Bar[0]: Write to an illegal BAR0 address detected.

Bar[1]: Read from an illegal BAR0 address detected.

Bar[2]: Write to an illegal BAR2 address detected.

Bar[3]: Read from an illegal BAR2 address detected.

The type of errors assigned to the clock mask bits are unique to a specific product. Most products do not use all eight available bits.

Clock[0]: Digital calibration clock out of lock.

Clock[1]: Flash programmer clock out of lock.

Clock[2]: QDR-A SRAM interface calibration failed.

Clock[3]: QDR-B SRAM interface calibration failed.

Clock[4+]: ADC interface calibration failed.

Name	Type	Description
ErrorMask()	void	Nothing returned.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.
ErrorIntMask	s_ErrorStatus	<p>Variable assigned to the s_ErrorStatus structure consisting of the following members:</p> <p>unsigned Bar[4] Interrupt mask assigned to the four BAR error status flags. Zero disables interrupt generation when the corresponding error is detected, and one enables interrupts.</p> <p>unsigned Clock[8] Interrupt mask assigned to the eight available clock error status flags. Zero disables interrupt generation when the corresponding error is detected, and one enables interrupts.</p> <p>unsigned Alert Interrupt mask assigned to the optional alert input from the port expander (FXL6408) or temperature monitor (LTC2991) chips. Zero disables interrupt generation when an alert is detected, and one enables interrupts.</p> <p>unsigned Fan Interrupt mask assigned to the fan monitor on products equipped with an active heat sink. Zero disables interrupt generation when a fan failure is detected, and one enables interrupts.</p>

2.7 ErrorStatus()

Report the state of individual fault status flags. This function returns the total number of flags that are currently active. The contents of the s_FaultStatus structure are modified by the function to provide details of which specific flags are active. This function will automatically clear the error status register.

The BAR mask bits are assigned to the following four types of errors:

Bar[0]: Write to an illegal BAR0 address detected.

Bar[1]: Read from an illegal BAR0 address detected.

Bar[2]: Write to an illegal BAR2 address detected.

Bar[3]: Read from an illegal BAR2 address detected.

The type of errors assigned to the clock mask bits are unique to a specific product. Most products do not use all eight available bits.

Clock[0]: Digital calibration clock out of lock.

Clock[1]: Flash programmer clock out of lock.

Clock[2]: QDR-A SRAM interface calibration failed.

Clock[3]: QDR-B SRAM interface calibration failed.

Clock[4+]: ADC interface calibration failed.

Name	Type	Description
ErrorStatus()	unsigned long	Total number of active error status flags recorded.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.
*p_Error	s_ErrorStatus	Pointer to the s_ErrorStatus structure consisting of the following members: unsigned Bar[4] Conveys the current state of four BAR error status flags. Zero indicates that no error has been detected. unsigned Clock[8] Conveys the current state of clock error status flags. Zero indicates that no error has been detected. unsigned Alert Conveys event status reported by the port expander (FXL6408) or temperature monitor (LTC2991) chips. unsigned Fan Reports fan failures on products equipped with an active heat sink.

2.8 FirmwareRevision()

Report the firmware revision date (MMDDYYYY) of the device.

Name	Type	Description
FirmwareRevision()	unsigned	Firmware revision date in hex format, but it is not a hex value (e.g. 04/27/2019 returns 0x04272019).
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.

2.9 GlobalStatus()

Report the state of the global channel and error status flags. There are up to eight channel status flags and one error flag that can be monitored by software. This function returns the total number of flags that are currently active. The contents of the s_GlobalStatus structure are modified by the function to provide details of which specific flags are active.

Each channel is assigned a global status flag to inform the software application that some type of service is required. Refer to the ChannelStatus() function for a detailed description about the type of information reported.

A single global error flag is assigned to the device. Refer to the ErrorStatus() function for a detailed description about the type of errors reported.

Name	Type	Description
GlobalStatus()	int	Total number of status flags that require service.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.
*p_Global	s_GlobalStatus	Pointer to the s_GlobalStatus structure consisting of the following members: unsigned Channel[8] Conveys the current state of each channel status flag (8 max). Zero indicates that the channel does not currently require service. unsigned Error Conveys the current state of the device error status flag. Zero indicates that no errors have been detected.

2.10 GlobalSync()

Issue a global synchronization strobe that is synchronous to all channels. This action is equivalent to the synchronization strobe that can be applied just prior to starting a channel but is independent of any scheduled channel activity. This is a convenient mechanism to synchronize the tuner internal to each digital down converter (DDC) and allow the filters to flush prior to scheduling channel activity.

Name	Type	Description
GlobalSync()	void	Nothing returned.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.

2.11 GPIOConnect()

Electrically connect the general purpose I/O (GPIO) port by enabling all pins.

Name	Type	Description
GPIOConnect()	void	Nothing returned.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.

2.12 GPIODisconnect()

Electrically isolate the general purpose I/O (GPIO) port by tristating all pins.

Name	Type	Description
GPIODisconnect()	void	Nothing returned.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.

2.13 GPIOReadWrite()

The general purpose I/O (GPIO) port provides a means to monitor or control external equipment using the API. Each GPIO pin can be software configured as an input or output, allowing this function to either read or write an external logic value.

Name	Type	Description
GPIOReadWrite()	unsigned	Value read from the GPIO inputs as a six-bit field (5:0) corresponding to GPIO #6 to GPIO #1.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.
GPIO	unsigned	Value written to the GPIO outputs as a six-bit field (5:0) corresponding to GPIO #6 to GPIO #1.

2.14 GPIOSettings()

Configure each general purpose I/O (GPIO) pin as an input or output. This function is also used to electrically isolate the GPIO port.

Name	Type	Description
GPIOSettings()	void	Nothing returned.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.
GPIO	s_GPIOSettings	Variable assigned to the s_GPIOSettings structure consisting of the following members: unsigned Disconnect One electrically disconnects the entire GPIO port by tri-stating all pins and zero connects the port. unsigned Direction[8] Each member of the array corresponds to a GPIO pin starting at index zero for GPIO #1. Each pin can be configured as an input (0), an output (1), or an input with a digital debounce function (2).

2.15 InterruptMask()

Set the global interrupt mask to enable (1) or disable (0) hardware interrupts from the device. Mask bits are also available to disable interrupts originating from specific errors using the ErrorMask() function and specific channel events using the ChannelMask() function.

Name	Type	Description
InterruptMask()	void	Nothing returned.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.
GlobalIntMask	unsigned	Zero disables hardware interrupts from the device and one enables hardware interrupts.

2.16 LEDSettings()

Select the type of status to be reported by illuminating the yellow or green light emitting diode (LED).

The yellow LED conveys four types of status:

Yellow[0]: Flash when a software trigger is detected. (0 => disable, 1 => enable)

Yellow[1]: Flash when a time of day (TOD) start/stop trigger is detected.
(0 => disable, 1 => start trigger, 2 => stop trigger, 3 => start or stop trigger)

Yellow[2]: Flash when a transition on the coax trigger is detected.
(0 => disable, 1 => rising edge, 2 => falling edge, 3 => rising or falling edge)

Yellow[3]: Flash when a transition on the GPIO trigger is detected.
(0 => disable, 1 => rising edge, 2 => falling edge, 3 => rising or falling edge)

The green LED can be illuminated when an individual channel is active.

Name	Type	Description
LEDSettings()	void	Nothing returned.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.
LED	s_LEDSettings	Variable assigned to the s_LEDSettings structure consisting of the following members: unsigned Yellow[8] Zero masks the designated activity from the indicator and a non-zero value causes the LED to flash if a specific activity is detected. unsigned Green[8] Each member of the array corresponds to an individual channel starting at index zero for Channel #1. Zero masks channel activity from the indicator and one causes the LED to illuminate when the corresponding channel is active.

2.17 ModelNumber()

Report the three-digit model number of the device.

Name	Type	Description
ModelNumber()	unsigned	Device model number in hex format, but it is not a hex value (e.g. Model 266 returns 0x266).
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.

2.18 PinDirection()

Set the direction of signals on external connector pins. The general purpose I/O (GPIO) and USER ports allow the device to communicate with external hardware. Each pin can be software configured as an input or output through this function.

Name	Type	Description
PinDirection()	void	Nothing returned.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.
PinDirection	s_Pin	Variable assigned to the s_PinDirection structure consisting of the following members: unsigned GPIODirection[6] Sets the direction of pins on the GPIO connector to input (0) or output (1). unsigned USERDirection[62] Sets the direction of pins on the USER connector to input (0) or output (1).

2.19 PowerStatus()

Reports the voltage, current, and power dissipation of up to three primary sources supplying the device. The voltage and current measurements are obtained directly from a system monitor chip, the power dissipation is calculated.

The number of supplies reporting, and the voltage associated with each supply will be unique to a specific product. Unused supplies may report a voltage, but zero current.

Name	Type	Description
PowerStatus()	double	Total power dissipation across all supplies.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.
*p_Power	s_Power	Pointer to the s_Power structure consisting of the following members: double Supply1[3] Conveys the bus voltage (0), current (1), and power dissipation (2) of supply #1. double Supply2[3] Conveys the bus voltage (0), current (1), and power dissipation (2) of supply #2. double Supply3[3] Conveys the bus voltage (0), current (1), and power dissipation (2) of supply #3.

2.20 SerDesInit()

Command the device to synchronize all deserializers for products that include chips with a high-speed serial data interface. This function should be called following the hardware initialization sequence or anytime a clock setting is changed.

Name	Type	Description
SerDesInit()	int	Zero indicates successful completion. Non-zero indicates an error condition.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.

2.21 Serial()

Program a chip on the device through a serial interface port (SPI, I2C, etc.). Many chips, such as an ADC or DAC, include a serial port to program internal configuration and status registers. This function allows the software application to access the SPI port of any chip available on the device.

A typical software application will not call this function directly, it is primarily used by other functions.

Name	Type	Description
Serial()	void	Nothing returned.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.
BusSelect	unsigned	Code to select a specific type of serial bus.
MultFunction	unsigned	Code that selects either the active edge of serial clock or the I2C transaction type depending on context.
Instruction	unsigned	Instruction in the format supported by a particular serial bus, usually including an address.
InstructionSize	unsigned	Size in bits of the instruction segment of a payload.
Data	unsigned	Variable containing value to be written for write transactions, not used for read transactions.
DataSize	unsigned	Size in bits of the data segment of a payload.
*p_ReadValue	unsigned	Pointer to a variable that will contain the value retrieved from a read transaction.

2.22 SoftwareReset()

Issue a software reset that is equivalent to a power-on reset.

Name	Type	Description
SoftwareReset()	void	Nothing returned.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.

2.23 SoftwareTrigger()

Issue a software trigger that is synchronous to all channels. The arrival time of the software trigger internal to the device is non-deterministic, but this function does ensure that all active channels are triggered simultaneously.

Name	Type	Description
SoftwareTrigger()	void	Nothing returned.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.

2.24 TemperatureStatus()

Report the temperature measured by five sensors on the device. All five sensors are connected to a single monitor chip that also reports the internal supply voltage.

The location of sensors on the device will be unique to a specific product.

Name	Type	Description
TemperatureStatus()	void	Nothing returned.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.
*p_Temperature	s_Temperature	Pointer to the s_Temperature structure consisting of the following members: double Sensor[5] Conveys the temperature recorded by five sensors. double Vcc Conveys the voltage measurement of the power supply to the temperature sensor.

2.25 TODSeconds()

Read the current time of day (TOD) seconds value from the device. The fractional seconds value is not available.

Name	Type	Description
TODSeconds()	unsigned	The current value of the time of day (TOD) seconds counter.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.

2.26 TODSettings()

Set the time of day (TOD) clock internal to the device. The TOD clock consists of two counters; seconds and fractional seconds.

The fractional seconds counter increments with each rising edge of the ADC/DAC sample clock, which establishes the resolution of the TOD.

The seconds counter increments on the rising edge of an externally supplied 1 PPS trigger, or an internal seconds timer based on the fractional seconds count. The TOD clock will assume that an external 1 PPS trigger is supplied if the ClockFrequency value is set to zero. If there is no external 1 PPS trigger, the ClockFrequency value should be set to the frequency of the clock incrementing the fractional seconds counter, which is usually the ADC/DAC sample clock.

Name	Type	Description
TODSettings()	void	Nothing returned.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.
TOD	s_TODSettings	Variable assigned to the s_TODSettings structure consisting of the following members: unsigned long Seconds Value used to set the device clock current time of day (TOD) in seconds (max = $(2^{32})-1$). unsigned long ClockFrequency Clock frequency used to increment the time of day fractional seconds, usually the ADC/DAC sample clock frequency, if there is no 1 PPS external source (max = $(2^{32})-1$). unsigned long TSFCode TSF code defined by the VITA 49 specification. unsigned long TSICode TSI code defined by the VITA 49 specification.

2.27 TriggerSettings()

Enable the optional trigger lock function on external trigger inputs. Trigger lock is a feature that centers the rising or falling edge of a trigger within a sample clock period to eliminate potential ambiguity that can occur if an active edge coincides with the clock transition.

The trigger lock function is available on two triggers:

Source[0]: Coax connector trigger input.

Source[1]: GPIO connector trigger input.

Name	Type	Description
TriggerSettings()	void	Nothing returned.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.
Trigger	s_TriggerSettings	Variable assigned to the s_TriggerSettings structure consisting of the following members: unsigned Source[4] Zero disables the clock lock function on the corresponding trigger. A value of one enables a lock to the rising edge of trigger and two locks to the falling edge.

2.28 USERConnect()

Electrically connect the USER port by enabling all pins.

Name	Type	Description
USERConnect()	void	Nothing returned.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.

2.29 USERDisconnect()

Electrically isolate the USER port by tristating all pins.

Name	Type	Description
USERDisconnect()	void	Nothing returned.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.

3.0 Channel Functions (channel_functions.h)

The channel functions are used to perform device operations that are targeted to individual channels. A typical Red Rapids product may consist of several ADC or DAC channels that can be uniquely configured. The exact number of channels depends on the configuration of a specific product.

3.1 ChannelMask()

Set the channel interrupt mask bits to enable (1) or disable (0) interrupt generation for each type of channel event monitored by the device. The device will continue to record events even if the interrupt is masked, but the software application will have to query for status since there will be no independent notification.

The DMAMarker status flag is used to inform the application software that the DMA buffer assigned to the designated channel requires service. In the case of a receiver channel, this indicates that new data is available in the buffer. In the case of a transmitter channel, this indicates that new data is needed by the buffer.

The error mask bits are assigned to the following types of errors:

Error[0] Converter (ADC/DAC) error detected..

Error[1] FIFO overflow/underflow error detected.

Name	Type	Description
ChannelMask()	void	Nothing returned.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.
ChannelNumber	unsigned	Variable containing the channel number to target with the function.
ChannellntMask	s_ChannellntMask	Variable assigned to the s_ChannellntMask structure consisting of the following members: unsigned DMAMarker Interrupt mask assigned to the channel DMA marker status flags. Zero disables interrupt generation when the DMA buffer requires service and one enables interrupts. unsigned Error[2] Interrupt mask assigned to the two channel error status flags. Zero disables interrupt generation when the corresponding error is detected and one enables interrupts.

3.2 ChannelReset()

Issue a reset to restore the channel configuration registers to their power-on state.

Name	Type	Description
ChannelReset()	void	Nothing returned.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.
ChannelNumber	unsigned	Variable containing the channel number to target with the function.

3.3 ChannelSettings()

Load all configuration settings to a specific channel. This function calls a sequence of finer grain configuration functions that address individual channel features.

Name	Type	Description
ChannelSettings()	int	Zero indicates successful completion. Non-zero indicates an error condition.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.
ChannelNumber	unsigned	Variable containing the channel number to target with the function.
Channel	s_Channel	The s_Channel structure carries all configuration variables assigned to a channel.

3.4 ChannelStatus()

Report the state of individual channel status flags. This function returns the total number of flags that are currently active. The contents of the s_ChannelStatus structure are modified by the function to provide details of which specific flags are active. This function will automatically clear the channel status register.

The DMAMarker status flag is used to inform the application software that the DMA buffer assigned to the designated channel requires service. In the case of a receiver channel, this indicates that new data is available in the buffer. In the case of a transmitter channel, this indicates that new data is needed by the buffer.

The error mask bits are assigned to the following types of errors:

Error[0] Converter (ADC/DAC) error detected.

Error[1] FIFO overflow/underflow error detected.

Name	Type	Description
ChannelStatus()	int	Total number of active error status flags recorded.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.
ChannelNumber	unsigned	Variable containing the channel number to target with the function.
*p_Channel	s_ChannelStatus	Pointer to the s_ChannelStatus structure consisting of the following members: unsigned DMAMarker Zero indicates the DMA buffer does not require service and one indicates service is needed. unsigned Error[2] Zero indicates no error has been detected and one conveys a past error condition.

3.5 ChannelStatusClear()

Clear the channel status register to erase previously recorded error conditions.

Name	Type	Description
ChannelStatusClear()	void	Nothing returned.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.

3.6 FlowControl()

Start (OnOff = 1) or stop (OnOff = 0) processing on the designated channel.

This function is required to initiate any channel processing, even if triggers are used to begin signal acquisition or generation. The start command arms a channel to react when the requested start event is detected (software trigger, hardware trigger, etc.). Processing begins immediately if there is no start event specified in the channel configuration.

The stop command is not necessary to terminate channel processing since other stop events can be selected (software trigger, hardware trigger, etc.). However, the stop command can be used to immediately shut off a channel even if it is waiting for a start or stop event.

Name	Type	Description
FlowControl()	void	Nothing returned.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.
ChannelNumber	unsigned	Variable containing the channel number to target with the function.
OnOff	unsigned	Zero stops channel processing and one enables channel processing.

3.7 FlowStatus()

Report whether the channel is currently active (1) or inactive (0). This function can be used to monitor the state of a channel that has been programmed to start or stop in response to a trigger.

Name	Type	Description
FlowStatus()	int	Zero indicates the channel is off and one indicates the channel is on.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.
ChannelNumber	unsigned	Variable containing the channel number to target with the function.

3.8 FrameFilename()

Create a name for the frame descriptor file used to demonstrate the scheduler. The character string includes the full directory path to the descriptor file as follows:

Windows: [..\files\frame.txt](#)

Linux: [../files/frame.txt](#)

Name	Type	Description
FrameFilename()	void	Nothing returned.
*p_file	char	Full path name to the frame descriptor text file.

3.9 DatapathControlSettings()

Load the datapath configuration settings to a specific channel. The datapath controls select which processing and synchronization features of the datapath will be enabled. It also manages the disposition of data residue that may remain in the datapath when it is not active.

Name	Type	Description
DatapathControlSettings()	void	Nothing returned.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.
ChannelNumber	unsigned	Variable containing the channel number to target with the function.
DatapathControl	s_DatapathControl	The s_DatapathControl structure carries the datapath control configuration variables assigned to a channel.

3.10 EventDurationSettings()

Load the event duration configuration settings to a specific channel. Dataflow through a channel is controlled by selected events. Some of these events are timed by counters that track the number of samples or periodic cycles to process.

Name	Type	Description
EventDurationSettings()	void	Nothing returned.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.
ChannelNumber	unsigned	Variable containing the channel number to target with the function.
EventDuration	s_EventDuration	The s_EventDuration structure carries the event duration configuration variables assigned to a channel.

3.11 IFdpktFormatSettings()

Load the IF data packet configuration settings to a specific channel. The format of the IF data packet is defined by the VITA Radio Transport Standard (VITA 49.0).

Name	Type	Description
IFdpktFormatSettings()	void	Nothing returned.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.
ChannelNumber	unsigned	Variable containing the channel number to target with the function.
IFdpktFormat	s_IFdpktFormat	The s_IFdpktFormat structure carries the IF data packet configuration variables assigned to a channel.

3.12 PayloadFormatSettings()

Load the IF data payload configuration settings to a specific channel. The format of the IF data payload is defined by the VITA Radio Transport Standard (VITA 49.0).

Name	Type	Description
PayloadFormatSettings()	void	Nothing returned.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.
ChannelNumber	unsigned	Variable containing the channel number to target with the function.
PayloadFormat	s_PayloadFormat	The s_PayloadFormat structure carries the payload format configuration variables assigned to a channel.

3.13 SchedulerFrameSettings()

Load the frame descriptor settings to a specific channel when the scheduler is selected as the cycle event. The descriptors are stored in a text file organized as multiple pairs of slot start time followed by slot duration in sample count.

Name	Type	Description
SchedulerFrameSettings()	int	Non-zero indicates an error encountered parsing the frame descriptor file.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.
ChannelNumber	unsigned	Variable containing the channel number to target with the function.
*p_file	char	Full path name to the frame descriptor text file.

3.14 SwitchSelectSettings()

Load the switch select configuration settings to a specific channel. Most channels can obtain input data from multiple sources. The switch select setting determines which specific source is connected to the datapath.

Name	Type	Description
SwitchSelectSettings()	void	Nothing returned.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.
ChannelNumber	unsigned	Variable containing the channel number to target with the function.
SwitchSelect	s_SwitchSelect	The s_SwitchSelect structure carries the switch select configuration variables assigned to a channel.

3.15 SynchronizerSettings()

Load the synchronizer configuration settings to a specific channel. The synchronizer manages all dataflow through the channel based on the settings loaded by this function. The number of unique settings is determined by the features available in a specific product.

Name	Type	Description
SynchronizerSettings()	void	Nothing returned.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.
ChannelNumber	unsigned	Variable containing the channel number to target with the function.
Synchronizer	s_Synchronizer	The s_Synchronizer structure carries the synchronizer configuration variables assigned to a channel.

3.16 TODTriggerSettings()

Load the time of day (TOD) trigger configuration settings to a specific channel. Dataflow through a channel is controlled by selected events. Time of day can be selected as a start

or stop event. This function sets the TOD seconds and fractional seconds count that will activate a start or stop trigger.

Name	Type	Description
TODTriggerSettings()	void	Nothing returned.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.
ChannelNumber	unsigned	Variable containing the channel number to target with the function.
TODTriggers	s_TODTriggers	The s_TODTriggers structure carries the TOD trigger configuration variables assigned to a channel.

3.17 ReadyStatus()

Report whether a specific channel is waiting for a start event. The FlowControl() function is used to arm a channel, but it takes time to prepare the channel to start processing data. This function can be used after the channel is armed to determine when it is ready to receive the start event. If the start event occurs before the channel is ready, it will be missed.

Name	Type	Description
ReadyStatus()	int	One indicates that the channel is waiting for a start event and zero indicates that the channel is not currently waiting for a start event.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.
ChannelNumber	unsigned	Variable containing the channel number to target with the function.

4.0 DMA Functions (dma_functions.h)

The DMA functions are used to manage DMA transactions between the device and the host computer. Refer to the DMA on Demand Operating Guide for detailed information about the techniques employed by Red Rapids products.

4.1 DMAAssign()

Assign DMA buffer space in host memory to the requested buffer index. The buffer index does not have to be associated with a hardware channel number, but that is frequently the case.

Name	Type	Description
DMAAssign()	void (Linux) int (Windows)	Non-zero indicates a memory allocation error in Windows.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.
BufferIndex	unsigned	Sequential index number assigned to DMA buffers starting from zero.

4.2 DMAConfigCheck()

Verify that each of the assigned DMA settings fall within the acceptable range.

Name	Type	Description
DMAConfigCheck()	int	Non-zero indicates a configuration error was detected.
DMA	s_DMABuf	Variable assigned to the s_DMABuf structure consisting of the following members: unsigned PageNumber Number of the active DMA page starting from zero. unsigned PageCount Number of pages that form the circular buffer. unsigned PagesPerMark Number of pages between DMA markers. unsigned BurstSizeB Size of a single DMA burst transaction in bytes. unsigned BurstCount Number of bursts within a page. unsigned long long **Address Virtual address assigned to each page.
*ConfigError	unsigned	A non-zero value in each array index indicates a different type of configuration error: 0. Burst Size 1. Burst Count 2. Page Count 3. Pages per Marker

4.3 DMAInit()

Initialize all variables in the s_DMABuf structure to default values.

Name	Type	Description
DMAInit()	void	Nothing returned.
DMA	s_DMABuf	Set all s_DMABuf structure values to zero and pointers to NULL.

4.4 DMALoad()

Copy data samples from a text file to the designated DMA buffer. This function is typically used to populate a DAC DMA buffer to demonstrate transmitter capability.

Name	Type	Description
DMALoad()	int	Non-zero indicates a failure opening the sample data text file to read.
*p_file	char	Full path name to the sample data text file.
*DMA	s_DMABuf	Pointer to the s_DMABuf structure consisting of the following members: unsigned pageNumber Number of the active DMA page starting from zero. unsigned PageCount Number of pages that form the circular buffer. unsigned PagesPerMark Number of pages between DMA markers. unsigned BurstSizeB Size of a single DMA burst transaction in bytes. unsigned BurstCount Number of bursts within a page. unsigned long long **Address Virtual address assigned to each page.
DataItemSize	unsigned	Sample data size in bits.

4.5 DMARelease()

Free memory allocated to DMA buffers by the Windows driver.

Name	Type	Description
DMARelease()	int	Non-zero indicates an error condition.
*DMA	s_DMABuf	Pointer to the s_DMABuf structure consisting of the following members: unsigned PageNumber Number of the active DMA page starting from zero. unsigned PageCount Number of pages that form the circular buffer. unsigned PagesPerMark Number of pages between DMA markers. unsigned BurstSizeB Size of a single DMA burst transaction in bytes. unsigned BurstCount Number of bursts within a page. unsigned long long **Address Virtual address assigned to each page.
DevNum	unsigned	Device number assigned to the buffers that will be

4.6 DMASave()

Writes the DMA buffer contents to a text file. The save operation starts at the first page in the buffer and sequences through the requested number of pages. There are two different implementations of the function depending on product features.

The following description applies to the streamlined DMASave() function that does not include packet processing features.

Name	Type	Description
DMASave()	int	Non-zero indicates a failure opening the output data text file to write.
*p_file	char	Name of the output text file.
*DMA	s_DMABuf	Pointer to the s_DMABuf structure consisting of the following members: unsigned PageNumber Number of the active DMA page starting from zero. unsigned PageCount Number of pages that form the circular buffer. unsigned PagesPerMark Number of pages between DMA markers. unsigned BurstSizeB Size of a single DMA burst transaction in bytes. unsigned BurstCount Number of bursts within a page. unsigned long long **Address Virtual address assigned to each page.
NumPages	unsigned	Number of DMA pages to write to the file.
DataItemSize	unsigned	Sample data size in bits.

The following description applies to the full featured DMASave() function that can strip packet information included with the raw data.

Name	Type	Description
DMASave()	int	Non-zero indicates a failure opening the output data text file to write.
*p_file	char	Name of the output text file.
*DMA	s_DMABuf	Pointer to the s_DMABuf structure consisting of the following members: unsigned PageNumber Number of the active DMA page starting from zero. unsigned PageCount Number of pages that form the circular buffer. unsigned PagesPerMark Number of pages between DMA markers. unsigned BurstSizeB Size of a single DMA burst transaction in bytes. unsigned BurstCount Number of bursts within a page. unsigned long long **Address Virtual address assigned to each page.
RXChannel	s_Channel	The number and function of s_Channel structure members will be unique to each Red Rapids product.
TODClock	s_TODSettings	Variable assigned to the s_TODSettings structure consisting of the following members: unsigned long TODSeconds Value used to set the device clock current time of day (TOD) in seconds (max = (2 ³²)-1). unsigned long ClockFrequency Clock frequency used to increment the time of day fractional seconds, usually the ADC/DAC sample clock frequency, if there is no 1 PPS external source (max = (2 ³²)-1). unsigned long TSFCode TSF code defined by the VITA 49 specification. unsigned long TSICode TSI code defined by the VITA 49 specification.
NumPages	unsigned	Number of DMA pages to write to the file.
PacketInfo	unsigned	A non-zero value causes packet information to be printed to the destination file along with sample data when packets are enabled.

4.7 DMAStatus()

Report the current status of the DMA engine that is assigned to the selected channel number. This register can be polled by software to track the progress of DMA transfers through individual pages and bursts.

The DMA engine status conveys the following information:

Engine[0]: The DMA engine is enabled (1) or disabled (0).

Engine[1]: A DMA request is pending (1) or not pending(0).

Engine[2]: The DMA engine is busy processing a transaction (1) or idle (0).

Name	Type	Description
DMAStatus()	void	Nothing returned.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.
ChannelNumber	unsigned	Variable containing the channel number to target with the function.
*p_DMA	s_DMAStatus	Pointer to the s_DMAStatus structure consisting of the following members: unsigned CurrentPage Page number that is currently active. Page numbering begins with zero. unsigned CurrentBurst Burst number that is currently active. Burst numbering begins with zero. unsigned Engine[2] Status of the DMA Engine controls.

5.0 Product Functions (product_functions.h)

The product functions are unique to each Red Rapids model number. They typically perform a series of hardware initialization tasks that are closely tied to the specific chips used on the product.

5.1 HWInitialize()

Select an initialization sequence based on the specific model number of the device.

Name	Type	Description
HWInitialize()	int	Non-zero indicates an error condition.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.
Model	unsigned	Model number of the device to initialize.

5.2 MxxxInitialize()

Initialize all hardware features unique to a specific model number (Model xxx).

Name	Type	Description
MxxxInitialize()	int	Non-zero indicates an error condition.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.
MxxxDevices	s_MxxxDevices	Variable assigned to the s_MxxxDevices structure that contains a member for every chip on the product.

6.0 Chip Functions (chip_functions.h)

The chip functions are used to access the configuration and status registers of individual semiconductor devices embedded in the product. Most ADC, DAC, and clock generation chips include a serial port that supports read and write transactions to internal registers. These functions access those registers through a serial bus controller on the device.

Consult the datasheet of each specific chip for a description of the available registers

6.1 ADA4927Write()

Set the enable bit on the Analog Devices ADA4927-2 dual differential amplifier chip.

Name	Type	Description
ADA4927Write()	void	Nothing returned.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.
ChipSelect	unsigned	Code to select the desired chip on the serial bus.
PortNumber	unsigned	Port number assigned to each amplifier by Red Rapids.
Data	unsigned	Must be either zero (disable) or one (enable).

6.2 AD5628Write()

Write internal registers through the serial control port of the Analog Devices AD5628 digital-to-analog converter chip.

Name	Type	Description
AD5628Write()	void	Nothing returned.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.
ChipSelect	unsigned	Code to select the desired chip on the serial bus.
Command	unsigned	Internal instruction to write to the chip.
Address	unsigned	Internal address of the register to write to the chip.
Data	unsigned	Data value written to the selected register address.

6.3 AD8000Write()

Set the enable bit on the Analog Devices AD8000 differential amplifier chip.

Name	Type	Description
AD8000Write()	void	Nothing returned.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.
ChipSelect	unsigned	Code to select the desired chip on the serial bus.
PortNumber	unsigned	Port number assigned to each amplifier by Red Rapids.
Data	unsigned	Must be either zero (disable) or one (enable).

6.4 AD9142ARead()

Read internal registers through the serial control port of the Analog Devices AD9142A digital-to-analog converter chip.

Name	Type	Description
AD9142ARead()	void	Nothing returned.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.
ChipSelect	unsigned	Code to select the desired chip on the serial bus.
Address	unsigned	Internal address of the register to read from the chip.

6.5 AD9142AWrite()

Write internal registers through the serial control port of the Analog Devices AD9142A digital-to-analog converter chip. It is important to note that the frequency tuning word and NCO phase offsets only change when the frequency tuning word update bit is set.

Name	Type	Description
AD9512Write()	void	Nothing returned.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.
ChipSelect	unsigned	Code to select the desired chip on the serial bus.
Address	unsigned	Internal address of the register to write to the chip.
Data	unsigned	Data value written to the selected register address.

6.6 AD9512Read()

Read internal registers through the serial control port of the Analog Devices AD9512 clock distribution chip.

Name	Type	Description
AD9512Read()	void	Nothing returned.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.
ChipSelect	unsigned	Code to select the desired chip on the serial bus.
Address	unsigned	Internal address of the register to read from the chip.

6.7 AD9512Write()

Write internal registers through the serial control port of the Analog Devices AD9512 clock distribution chip. It is important to note that the AD9512 assigns a buffer register to each control register. Write operations modify the buffer register, but not the control register. A register update command must be issued to transfer the contents of the buffer registers to the actual control registers.

Name	Type	Description
AD9512Write()	void	Nothing returned.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.
ChipSelect	unsigned	Code to select the desired chip on the serial bus.
Address	unsigned	Internal address of the register to write to the chip.
Data	unsigned	Data value written to the selected register address.

6.8 AD9652Cal()

Initiate a calibration cycle through the serial interface of the Analog Devices AD9652 analog-to-digital converter. This function includes a 1.3 second wait for the fast start-up calibration to complete.

Name	Type	Description
AD9652Cal()	void	Nothing returned.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.
ChipSelect	unsigned	Code to select the desired chip on the serial bus.

6.9 AD9652Read()

Read internal registers through the serial interface of the Analog Devices AD9652 analog-to-digital converter.

Name	Type	Description
AD9652Read()	void	Nothing returned.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.
ChipSelect	unsigned	Code to select the desired chip on the serial bus.
Address	unsigned	Internal address of the register to read from the chip.

6.10 AD9652Write()

Write internal registers through the serial interface of the Analog Devices AD9652 analog-to-digital converter.

Name	Type	Description
AD9652Write()	void	Nothing returned.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.
ChipSelect	unsigned	Code to select the desired chip on the serial bus.
Address	unsigned	Internal address of the register to write to the chip.
Data	unsigned	Data value written to the selected register address.

6.11 AD9653Read()

Read internal registers through the serial interface of the Analog Devices AD9653 analog-to-digital converter.

Name	Type	Description
AD9653Read()	void	Nothing returned.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.
ChipSelect	unsigned	Code to select the desired chip on the serial bus.
Address	unsigned	Internal address of the register to read from the chip.

6.12 AD9653Write()

Write internal registers through the serial interface of the Analog Devices AD9653 analog-to-digital converter.

Name	Type	Description
AD9653Write()	void	Nothing returned.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.
ChipSelect	unsigned	Code to select the desired chip on the serial bus.
Address	unsigned	Internal address of the register to write to the chip.
Data	unsigned	Data value written to the selected register address.

6.13 ADC12D1600Cal()

Initiate a calibration cycle through the serial interface of the Texas Instruments ADC12D1600 analog-to-digital converter. This function performs a read-modify-write operation to the configuration register that commands a calibration cycle.

Name	Type	Description
ADC12D1600Cal()	void	Nothing returned.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.
ChipSelect	unsigned	Code to select the desired chip on the serial bus.

6.14 ADC12D1600Read()

Read internal registers through the serial interface of the Texas Instruments ADC12D1600 analog-to-digital converter.

Name	Type	Description
ADC12D1600Read()	void	Nothing returned.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.
ChipSelect	unsigned	Code to select the desired chip on the serial bus.
Address	unsigned	Internal address of the register to read from the chip.

6.15 ADC12D1600Write()

Write internal registers through the serial interface of the Texas Instruments ADC12D1600 analog-to-digital converter.

Name	Type	Description
ADC12D1600Write()	void	Nothing returned.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.
ChipSelect	unsigned	Code to select the desired chip on the serial bus.
Address	unsigned	Internal address of the register to write to the chip.
Data	unsigned	Data value written to the selected register address.

6.16 ADL5566Write()

Set the enable bit on the Analog Devices ADL5566 dual differential amplifier chip.

Name	Type	Description
ADL5566Write()	void	Nothing returned.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.
ChipSelect	unsigned	Code to select the desired chip on the serial bus.
PortNumber	unsigned	Port number assigned to each amplifier by Red Rapids.
Data	unsigned	Must be either zero (disable) or one (enable).

6.17 ADS42LB69Read()

Read internal registers through the serial interface of the Texas Instruments ADS42LB69 analog-to-digital converter.

Name	Type	Description
ADS42LB69Read()	void	Nothing returned.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.
ChipSelect	unsigned	Code to select the desired chip on the serial bus.
Address	unsigned	Internal address of the register to read from the chip.

6.18 ADS42LB69Write()

Write internal registers through the serial interface of the Texas Instruments ADS42LB69 analog-to-digital converter.

Name	Type	Description
ADS42LB69Write()	void	Nothing returned.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.
ChipSelect	unsigned	Code to select the desired chip on the serial bus.
Address	unsigned	Internal address of the register to write to the chip.
Data	unsigned	Data value written to the selected register address.

6.19 FXL6408Read()

Read internal registers through the I2C bus of the Fairchild FXL6408 GPIO port expander. A typical software application will not call this function directly, it is primarily used by other functions.

Name	Type	Description
FXL6408Read()	void	Nothing returned.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.
ChipSelect	unsigned	Code to select the desired chip on the serial bus.
Address	unsigned	Internal address of the register to read from the chip.

6.20 FXL6408Write()

Write internal registers through the I2C bus of the Fairchild FXL6408 GPIO port expander. A typical software application will not call this function directly, it is primarily used by other functions.

Name	Type	Description
FXL6408Write()	void	Nothing returned.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.
ChipSelect	unsigned	Code to select the desired chip on the serial bus.
Address	unsigned	Internal address of the register to write to the chip.
Data	unsigned	Data value written to the selected register address.

6.21 INA3221Read()

Read internal registers through the I2C bus of the Texas Instruments INA3221 voltage monitor chip. A typical software application will not call this function directly, it is primarily used by other functions.

Name	Type	Description
INA3221Read()	void	Nothing returned.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.
ChipSelect	unsigned	Code to select the desired chip on the serial bus.
Address	unsigned	Internal address of the register to read from the chip.

6.22 INA3221Write()

Write internal registers through the I2C bus of the Texas Instruments INA3221 voltage monitor chip. A typical software application will not call this function directly, it is primarily used by other functions.

Name	Type	Description
INA3221Write()	void	Nothing returned.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.
ChipSelect	unsigned	Code to select the desired chip on the serial bus.
Address	unsigned	Internal address of the register to write to the chip.
Data	unsigned	Data value written to the selected register address.

6.23 LMK01000Sync()

Generate an external synchronization pulse on the Texas Instruments LMK01000 clock distribution chip SYNC pin.

Name	Type	Description
LMK01000Sync()	void	Nothing returned.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.
ChipSelect	unsigned	Code to select the desired chip on the serial bus.

6.24 LMK01000Write()

Write internal registers through the serial interface of the Texas Instruments LMK01000 clock distribution chip.

Name	Type	Description
LMK01000Write()	void	Nothing returned.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.
ChipSelect	unsigned	Code to select the desired chip on the serial bus.
Address	unsigned	Internal address of the register to write to the chip.
Data	unsigned	Data value written to the selected register address.

6.25 LTC1661Write()

Write internal registers through the serial interface of the Linear Technology LTC1661 digital-to-analog converter.

Name	Type	Description
LTC1661Write()	void	Nothing returned.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.
ChipSelect	unsigned	Code to select the desired chip on the serial bus.
Address	unsigned	Internal address of the register to write to the chip.
Data	unsigned	Data value written to the selected register address.

6.26 LTC2991Read()

Read internal registers through the I2C bus of the Linear Technology LTC2991 temperature monitor chip. A typical software application will not call this function directly, it is primarily used by other functions.

Name	Type	Description
LTC2991Read()	void	Nothing returned.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.
ChipSelect	unsigned	Code to select the desired chip on the serial bus.
Address	unsigned	Internal address of the register to read from the chip.

6.27 LTC2991Write()

Write internal registers through the I2C bus of the Linear Technology LTC2991 temperature monitor chip. A typical software application will not call this function directly, it is primarily used by other functions.

Name	Type	Description
LTC2991Write()	void	Nothing returned.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.
ChipSelect	unsigned	Code to select the desired chip on the serial bus.
Address	unsigned	Internal address of the register to write to the chip.
Data	unsigned	Data value written to the selected register address.

7.0 Utility Functions (utility_functions.h)

The utility functions are used by the product demonstration software but may not apply to another application.

7.1 ChannelState()

Report the current state of the synchronizer for the selected channel.

Name	Type	Description
ChannelState()	unsigned	0: Idle 1: Initialize/Prime 2: Start Trigger 4: Start Delay 8: Synch/Stop Trigger 16: Stop Delay 32: Purge/Residue 64: Cycle 128: Scheduler/Stop Bench 255: Undefined
ChannelNumber	unsigned	Variable containing the channel number to target with the function.

7.2 ClearLatency()

Clears the PCI latency performance measurement register. This register stores the largest value recorded since the last clear operation.

Name	Type	Description
ClearLatency()	void	Nothing returned
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.

7.3 DataFile()

Create a file of sine wave data samples that can be used to load a DMA buffer with the DMALoad() function. This file is used to demonstrate transmitter channels.

Name	Type	Description
DataFile()	int	Non-zero indicates a failure opening the sine wave text file or a warning that the samples do not end on zero phase.
*p_file	char	Full path name to the sine wave data text file.
PageSize	unsigned	Size of the DMA page in bytes.
FsDivisor	double	The frequency of the sine wave is calculated as a fraction of the DAC sample clock (Fs/FsDivisor).
DataItemSize	unsigned	Sample data size in bits.

7.4 DataLoad()

Copy data samples from a text file to the designated data buffer buffer. This function is used to populate a DAC data buffer with the same samples preloaded into the DMA buffer to demonstrate continuous transmitter capability.

Name	Type	Description
DataLoad()	int	Non-zero indicates a failure opening the sample data text file to read.
*p_file	char	Full path name to the sample data text file.
**p_Address	void	Array containing the virtual address of each data buffer returned by malloc().
PageSize	unsigned	Size of the data page in bytes.
NumPages	unsigned	Number of data pages to write to the file.
DataltemSize	unsigned	Sample data size in bits.

7.5 DataSave()

Writes the data buffer contents to a text file. The save operation starts at the first page in the buffer and sequences through the requested number of pages. There are two different implementations of the function depending on product features.

The following description applies to the streamlined DataSave() function that does not include packet processing features.

Name	Type	Description
DataSave()	int	Return of non-zero indicates a failure opening the output data text file to write.
*p_file	char	Name of the output text file.
**p_Address	void	Array containing the virtual address of each data buffer returned by malloc().
PageSize	unsigned	Size of the data page in bytes.
NumPages	unsigned	Number of data pages to write to the file.
DataltemSize	unsigned	Sample data size in bits.

The following description applies to the full featured DataSave() function that can strip packet information included with the raw data.

Name	Type	Description
DataSave()	int	Return of non-zero indicates a failure opening the output data text file to write.
*p_file	char	Name of the output text file.
**p_Address	void	Array containing the virtual address of each data buffer returned by malloc().
RXChannel	s_Channel	The number and function of s_Channel structure members will be unique to each Red Rapids product.
TODClock	s_TODSettings	Variable assigned to the s_TODSettings structure consisting of the following members: unsigned long TODSeconds Value used to set the device clock current time of day (TOD) in seconds (max = (2 ³²)-1). unsigned long ClockFrequency Clock frequency used to increment the time of day fractional seconds, usually the ADC/DAC sample clock frequency, if there is no 1 PPS external source (max = (2 ³²)-1). unsigned long TSFCode TSF code defined by the VITA 49 specification. unsigned long TSICode TSI code defined by the VITA 49 specification.
PageSize	unsigned	Size of the data page in bytes.
NumPages	unsigned	Number of data pages to write to the file.
PacketInfo	unsigned	A non-zero value causes packet information to be printed to the destination file along with sample data when packets are enabled.

7.6 FIFOResidue()

Report the number of bytes currently stored in the DMA FIFO of the requested channel.

Name	Type	Description
FIFOResidue()	unsigned	Number of bytes in the FIFO.
ChannelNumber	unsigned	Variable containing the channel number to target with the function.

7.7 FreeResources()

Free all memory resources allocated to the device and close the device.

Name	Type	Description
FreeResources()	int	Non-zero indicates an error occurred closing the device or releasing memory resources.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.
Channel	s_Channel	The s_Channel structure carries all configuration variables assigned to a channel.
ChannelCount	unsigned	Number of channels assigned to the device.
UIO	S_UIOScan	Device identification in Linux.
OpenStatus	int	Zero indicates the device was successfully opened in Windows.

7.8 InterruptResponse()

Report the response for the last interrupt that was serviced by software. The time is reported in units of microseconds.

A timer internal to the device is started when a hardware interrupt is issued to the host. The elapsed time is recorded in a register when the device detects that the interrupt mask bit has been set by software as part of the interrupt service routine. The value is held in the register until a new interrupt cycle is completed. This function can be used to read the most recent value recorded at any time.

It may be necessary to use the InterruptTimeout() function if the interrupt latency through the host is so long that multiple interrupts get processed. This function provides some insight into what timeout value may be needed.

Name	Type	Description
InterruptResponse()	float	The maximum interrupt response time measured in microseconds.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.

7.9 InterruptTimeout()

Set a maximum time interval that the device can issue interrupt requests to the host. The IntTimeout parameter is multiplied by 4 ns to arrive at a time value. For example, an input value of 2,000 equates to 8 microseconds on the device.

This function is used to prevent the device from overwhelming the host with interrupt requests. Some operating systems will disable a device if the interrupt frequency exceeds an established threshold. This is a defensive measure to protect against malfunctioning hardware. Unfortunately, the threshold may be exceeded simply due to an excessive interrupt latency through the host. Latency is defined as the time interval from the device initiating the interrupt to the time it is serviced by the software application.

Setting an interrupt timeout does not necessarily mean that the requested interrupt will never be serviced. It simply prevents a single event from holding the interrupt active while waiting for the system to respond.

Name	Type	Description
InterruptTimeout()	void	Nothing returned.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.
IntTimeout	unsigned	The interrupt timeout value in increments of 4 ns to a maximum value of $(2^{28})-1$, or 1.074 sec

7.10 MemSize()

Report the size of the QDR II+ SRAM address bus in bits. This function is called by MemTest() to set the address range of a test.

Name	Type	Description
MemSize()	unsigned	Address size in bits.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.

7.11 MemTest()

Exercise every address of the QDR II+ SRAM with an alternating binary pattern to verify functionality and performance. Note, setting the cycles variable to zero produces a much shorter test that does not touch every available address.

Name	Type	Description
MemTest()	int	Number of errors detected.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.
SRAMSelect	unsigned	Select SRAM-A (1) for test, SRAM-B (2) or both simultaneously (3).

7.12 MicrosecondTimer()

Pause for the specified time in microseconds.

Name	Type	Description
MicrosecondTimer()	int	Zero indicates successful completion. Non-zero indicates an error condition.
uSeconds	long	The length of time to pause in microseconds.

7.13 PciBenchmark()

Maximize PCIe bus traffic by continuously requesting DMA transactions on all available DMA channels. The benchmark condition is maintained for just over a quarter second.

Name	Type	Description
PciBenchmark()	void	Nothing returned.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.

7.14 PciPerformance()

Report the PCIe bus throughput that was measured over the last quarter second interval and the maximum DMA latency since the last clear.

The PCI throughput is continuously measured every quarter second regardless of traffic. The maximum throughput can be measured by calling the PciBenchmark() function immediately before reading the performance measurements to maximize DMA traffic. Separate performance values are reported for receiver channels (DMA writes) and transmitter channels (DMA reads).

A timer internal to the device is started when a DMA request is issued to the host. The latency is measured as the time elapsed until the device detects that the DMA transfer has initiated. The measured value is recorded only if it exceeds the current maximum value. Separate latency values are reported for receiver channels (DMA writes) and transmitter channels (DMA reads).

Name	Type	Description
PciPerformance()	void	Nothing returned.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.
*p_Performance	float	Four element array to store PCI RX throughput (0), TX throughput (1), RX latency (2), and TX latency (3).

7.15 ProbeSave()

Writes the contents of the transmitter snapshot memory to a text file. Each transmitter channel includes a small memory at the interface between the datapath output and the DAC. The memory captures a snapshot of sample data sent to the DAC when the datapath is first enabled. This information is useful for debugging transmitter datapath configuration settings.

Name	Type	Description
ProbeSave()	int	Non-zero indicates a failure opening the output data text file to write.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.
ChannelNumber	unsigned	Variable containing the channel number to target with the function.
*p_file	char	Name of the output text file.

7.16 ProcessChannels()

Query all available channels for any status change and update the user defined structure of the hardware handle. This function demonstrates one method of servicing DMA buffers based on an interrupt or software polling technique. Data is transferred between individual pages of the circular DMA buffer and another buffer that was allocated by the application software and attached to the hardware handle.

This function was created only for demonstration purposes and would probably not be used in applications that need to process data in real time directly from the DMA buffers.

Name	Type	Description
ProcessChannels()	void	Nothing returned.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.

7.17 UserInit()

Initialize all variables in the s_User structure to default values.

Name	Type	Description
UserInit()	void	Nothing returned.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.
*p_User	s_User	Set all s_User structure values to zero and pointers to NULL.

8.0 Filter Functions (filter_functions.h)

The filter functions are used to configure various types of digital filters that are available in some Red Rapids products. A typical Red Rapids product may consist of multiple filters that can be uniquely configured within each channel. The exact number of channels depends on the configuration of a specific product.

8.1 FilterCoefficients()

Load the filter coefficients to a specific channel.

Name	Type	Description
FilterCoefficients()	int	Non-zero indicates an unknown filter type or command error.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.
ChannelNumber	unsigned	Variable containing the channel number to target with the function.
Select	unsigned	Filter number to load.
Type	unsigned	Type number of filter to load.
IQ	unsigned	Zero if the filter is real, one if it is complex.
*p_Coefficients	unsigned	Array of coefficient values.

8.2 FilterConfigure()

Load the coefficients, gain setting, and resampler setting to the selected filter within a specific channel. All configuration values are stored in a single text file separated by the following keywords:

Coefficients	This keyword marks the beginning of a list of coefficients that define the characteristics of the filter. There must be one coefficient listed for each available tap, even if the filter is symmetric. Complex filter taps occupy two lines in the file with the in-phase (I) value preceding the quadrature (Q) value.
Log2Gain	The value immediately following this keyword conveys the gain through the filter expressed as a binary logarithm (log base2). The filter uses this gain along with the coefficient size to select the most significant bits available from each calculation.
Resample	The value immediately following this keyword defines the ratio of input to output samples processed through the filter. This can be either a downsample (decimation) ratio or upsample (interpolation) ratio depending on the filter.

Name	Type	Description
FilterConfigure()	int	Non-zero indicates a memory allocation error.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.
ChannelNumber	unsigned	Variable containing the channel number to target with the function.
Select	unsigned	Filter number to configure in the datapath.
*p_file	char	Full path name to the filter configuration text file.

8.3 FilterCount()

Report the number of filters available in the selected channel.

Name	Type	Description
FilterCount()	unsigned	Number of filters available.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.
ChannelNumber	unsigned	Variable containing the channel number to target with the function.

8.4 FilterFilename()

Create a configuration file name of the form filter<M>_type<N>.txt, where M is the filter number in the channel and N is the type number. The character string includes the full directory path to the descriptor file as follows:

Windows: [../filters/filterM_typeN.txt](#)

Linux: [../filters/filterM_typeN.txt](#)

Name	Type	Description
FilterFilename()	void	Nothing returned.
*p_file	char	Full path name to the frame descriptor text file.

8.5 FilterGain()

Load the log base2 filter gain to a specific channel.

Name	Type	Description
FilterGain()	int	Non-zero indicates requested gain is out of range.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.
ChannelNumber	unsigned	Variable containing the channel number to target with the function.
Select	unsigned	Filter number to load.
Type	unsigned	Type number of filter to load.
Log2Gain	unsigned	Log base2 gain value.

8.6 FilterKeyword()

Identify one of the three keywords that are expected in a filter configuration.

1. Coefficient
2. Log2Gain
3. Resample

Name	Type	Description
FilterKeyword()	unsigned	Unique numeric identification for each keyword.
*Keyword	char	Character string to compare against possible keywords.

8.7 FilterParser()

Extract filter configuration settings from the designated text file.

Name	Type	Description
FilterParser()	int	Non-zero indicates file access error.
Type	unsigned	Filter type number.
*p_real	unsigned	Array of coefficient values for a real filter or the real part of a complex filter.
*p_imag	unsigned	Array of coefficient values for the imaginary part of a complex filter.
*p_Log2Gain	unsigned	Log base 2 gain setting.
*p_Resample	unsigned	Resampler setting.
*p_file	char	Full path name to the filter configuration text file.

8.8 FilterResampler()

Load the resampler setting to a specific channel.

Name	Type	Description
FilterResampler()	int	Non-zero indicates requested resampler value is out of range.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.
ChannelNumber	unsigned	Variable containing the channel number to target with the function.
Select	unsigned	Filter number to load.
Type	unsigned	Type number of filter to load.
Resample	unsigned	Resample integer to indicate the downsample ratio in a receiver channel or upsample ratio in a transmitter channel.

8.9 FilterType()

Report the filter type number of the selected filter number in the selected channel.

Name	Type	Description
FilterType()	unsigned	Type number of filter.
*p_Handle	s_Handle	Pointer to the s_Handle device handle. Refer to the device driver reference manual for further details.
ChannelNumber	unsigned	Variable containing the channel number to target with the function.
Select	unsigned	Filter number to report.